## **Current Status of the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (previously presented) A stage well for a microscope stage comprising:
  - a housing, said housing attached to said stage and configured to extend below said stage;
  - an inner sleeve fitting within said housing such that it rotates within said housing; and,
  - a shelf extending transversely within said inner sleeve.
- 2. (original) The stage well as recited in Claim 1 wherein said housing further comprises a flange.
- 3. (original) The stage well as recited in Claim 2 wherein said flange defines at least one hole adapted to receive a fastener.
- 4. (original) The stage well as recited in Claim 1 further comprising:
  - a groove defined by a wall of said housing; and,
- a handle extending through said groove, wherein said handle is secured to said inner sleeve.
- 5. (original) The stage well as recited in Claim 4 wherein said groove is vertical.
- 6. (original) The stage well as recited in Claim 4 wherein said groove is helical.
- 7. (original) The stage well as recited in Claim 4 wherein said handle is threadably secured to said inner sleeve.
- 8. (original) The stage well as recited in Claim 1 wherein said shelf further comprises a center indicator.

Attorney Docket No. LEAP:123US

U.S. Patent Application No. 10/604,233

Reply to Office Action of May 11, 2005

Date: August 11, 2005

- 9. (previously presented) A microscope stage assembly comprising:
  - a revolving stage, said revolving stage having a center opening; and,
  - a stage well placed within said center opening, said stage well having:
    - a housing, said housing extending below said revolving stage;
  - an inner sleeve fitting within said housing such that it rotates within said housing;

and,

- a shelf extending transversely within said inner sleeve.
- 10. (original) The microscope stage assembly as recited in Claim 9 wherein said housing further comprises a flange.
- 11. (original) The microscope stage assembly as recited in Claim 10 wherein said flange defines at least one hole adapted to receive a fastener.
- 12. (original) The microscope stage assembly as recited in Claim 9 further comprising:
  - a groove defined by a wall of said housing; and,
- a handle extending through said groove, wherein said handle is secured to said inner sleeve.
- 13. (original) The microscope stage assembly as recited in Claim 12 wherein said groove is vertical.
- 14. (original) The microscope stage assembly as recited in Claim 12 wherein said groove is helical.
- 15. (original) The microscope stage assembly as recited in Claim 12 wherein said handle is threadably secured to said inner sleeve.

Attorney Docket No. LEAP:123US U.S. Patent Application No. 10/604,233 Reply to Office Action of May 11, 2005

Date: August 11, 2005

- 16. (original) The microscope stage assembly as recited in Claim 9 wherein said shelf further comprises a center indicator.
- 17. (previously presented) A microscope stage assembly comprising:
  - a revolving stage, said revolving stage having a center opening; and,
  - a stage well placed within said center opening, said stage well having:
    - a housing;
    - an inner sleeve fitting within said housing such that it rotates within said housing;
    - a shelf extending transversely within said inner sleeve.
    - a groove defined by a wall of said housing; and,
  - a handle extending through said groove, wherein said handle is secured to said inner sleeve.
- 18. (previously presented) The microscope stage assembly as recited in Claim 17 wherein said groove is vertical.
- 19. (previously presented) The microscope stage assembly as recited in Claim 17 wherein said groove is helical.
- 20. (previously presented) The microscope stage assembly as recited in Claim 17 wherein said handle is threadably secured to said inner sleeve.